JOURNAL OF ZOOLOGY

Volume 261 Contents

Part 1, September 2003

Rubbo, M. J., Townsend, V. R., Jr., Smyers, S. D. and Jaeger, R. G., An experimental assessment of invertebrate/vertebrate predation: the interaction between wolf spiders (*Gladiscosa pulchra*) and terrestrial salamanders (*Ambystoma maculatum*) 1

Shanas, U., Afik, D., Scantlebury, M. and Haim, A., Differential osmoregulatory capabilities of common spiny mice (*Acomys cahirinus*) from adjacent microhabitats 7

Le Comber, S. C., Faulkes, C. G., Formosinho, J. and Smith, C., Response of territorial males to the threat of sneaking in the three-spined stickleback (*Gasterosteus aculeatus*): a field study 15

Pfalzer, G. and Kusch, J., Structure and variability of bat social calls: implications for specificity and individual recognition 21

Weins, F. and Zitzmann, A., Social structure of the solitary slow loris *Nycticebus coucang* (Lorisidae) 35

Monteiro, L. R., Duarte, L. C. and dos Reis, S. F., Environmental correlates of geographical variation in skull and mandible shape of the punaré rat *Thrichomys apereoides* (Rodentia: Echimyidae) 47

Friis, H., Bauer, T. and Betz, O., An insect larva with a 'pig-snout': structure and function of the nasale of *Hyphydrus ovatus* L. (1763) (Coleoptera: Dytiscidae) 59

Batang, Z. B. and Suzuki, H., Gill-cleaning mechanisms of the burrowing thalassinidean shrimps *Nihonotrypaea japonica* and *Upogebia major* (Crustacea: Decapoda) 69

Melville, J. and Swain, R., Evolutionary correlations between escape behaviour and performance ability in eight species of snow skinks (*Niveoscincus*: Lygosominae) from Tasmania 79

Galeotti, P. and Sacchi, R., Differential parasitaemia in the tawny owl (*Strix aluco*): effects of colour morph and habitat 91

Thompson, J. T. and Voight, J. R., Erectile tissue in an invertebrate animal: the *Octopus* copulatory organ 101

Part 2, October 2003

Koler-Matznick, J., Brisbin, I. L., Jr., Feinstein, M. and Bulmer, S., An updated description of the New Guinea singing dog (*Canis hallstromi* Troughton, 1957) 109

Broomhall, L. S., Mills, M. G. L. and du Toit, J. T., Home range and habitat use by cheetahs (*Acinonyx jubatus*) in the Kruger National Park 119

Measey, G. J., Gower, D. J., Oommen, O. V. and Wilkinson, M., A mark–recapture study of the caecilian amphibian *Gegeneophis ramaswamii* (Amphibia: Gymnophiona: Caeciliidae) in southern India 129

Peretti, A. V., Functional morphology of spermatophores and female genitalia in bothriurid scorpions: genital courtship, coercion and other possible mechanisms 135

Bowen, W. D., Ellis, S. L., Iverson, S. J. and Boness, D. J., Maternal and newborn life-history traits during periods of contrasting population trends: implications for explaining the decline of harbour seals (*Phoca vitulina*), on Sable Island 155

Helgen, K. M., A review of the rodent fauna of Seram, Moluccas, with the description of a new subspecies of mosaic-tailed rat, *Melomys rufescens paveli* 165

Liang, A.-P., A new tibial gland in male spittlebugs with descriptions of two new species of *Augustohahnia* Schmidt (Hemiptera: Cercopidae) from New Guinea 173

Krasnov, B. R., Burdelov, S. A., Khokhlova, I. S. and Burdelova, N. V., Sexual size dimorphism, morphological traits and jump performance in seven species of desert fleas (Siphonaptera) 181

Schoenfuss, H. L. and Blob, R. W., Kinematics of waterfall climbing in Hawaiian freshwater fishes (Gobiidae): vertical propulsion at the aquatic–terrestrial interface 191

Beckmann, J. P. and Berger, J., Rapid ecological and behavioural changes in carnivores: the responses of black bears (*Ursus americanus*) to altered food 207

Gérard, C. and Le Lannic, J., Establishment of a new host–parasite association between the introduced invasive species *Potamopyrgus antipodarum* (Smith) (Gastropoda) and *Sanguinicola* sp. Plehn (Trematoda) in Europe 213

Part 3, November 2003

Reynolds, S. J., Schoech, S. J. and Bowman, R., Diet quality during pre-laying and nestling periods influences growth and survival of Florida scrub-jay (*Aphelocoma coerulescens*) chicks 217

Lei, R., Jiang, Z., Hu, Z. and Yang, W., Phylogenetic relationships of Chinese antelopes (subfamily Antilopinae) based on mitochondrial ribosomal RNA gene sequences 227

Menin, M. and Giaretta, A. A., Predation on foam nests of leptodactyline frogs (Anura: Leptodactylidae) by larvae of *Beckeriella niger* (Diptera: Ephydridae) 239

Ma, J., Jones, G., Zhang, S., Shen, J., Metzner, W., Zhang, L. and Liang, B., Dietary analysis confirms that Rickett's big-footed bat (*Myotis ricketti*) is a piscivore 245

Marcelli, M., Fusillo, R. and Boitani, L., Sexual segregation in the activity patterns of European polecats (*Mustela putorius*) 249

Parsons, K. N., Jones, G. and Greenaway, F., Swarming activity of temperate zone microchiropteran bats: effects of season, time of night and weather conditions 257

Guichón, M. L., Doncaster, C. P. and Cassini, M. H., Population structure of coypus (*Myocastor coypus*) in their region of origin and comparison with introduced populations 265

JOURNAL OF ZOOLOGY

Volume 261 Contents

Part 1, September 2003

Rubbo, M. J., Townsend, V. R., Jr., Smyers, S. D. and Jaeger, R. G., An experimental assessment of invertebrate/vertebrate predation: the interaction between wolf spiders (*Gladiscosa pulchra*) and terrestrial salamanders (*Ambystoma maculatum*) 1

Shanas, U., Afik, D., Scantlebury, M. and Haim, A., Differential osmoregulatory capabilities of common spiny mice (*Acomys cahirinus*) from adjacent microhabitats 7

Le Comber, S. C., Faulkes, C. G., Formosinho, J. and Smith, C., Response of territorial males to the threat of sneaking in the three-spined stickleback (*Gasterosteus aculeatus*): a field study 15

Pfalzer, G. and Kusch, J., Structure and variability of bat social calls: implications for specificity and individual recognition 21

Weins, F. and Zitzmann, A., Social structure of the solitary slow loris *Nycticebus coucang* (Lorisidae) 35

Monteiro, L. R., Duarte, L. C. and dos Reis, S. F., Environmental correlates of geographical variation in skull and mandible shape of the punaré rat *Thrichomys apereoides* (Rodentia: Echimyidae) 47

Friis, H., Bauer, T. and Betz, O., An insect larva with a 'pig-snout': structure and function of the nasale of *Hyphydrus ovatus* L. (1763) (Coleoptera: Dytiscidae) 59

Batang, Z. B. and Suzuki, H., Gill-cleaning mechanisms of the burrowing thalassinidean shrimps *Nihonotrypaea japonica* and *Upogebia major* (Crustacea: Decapoda) 69

Melville, J. and Swain, R., Evolutionary correlations between escape behaviour and performance ability in eight species of snow skinks (*Niveoscincus*: Lygosominae) from Tasmania 79

Galeotti, P. and Sacchi, R., Differential parasitaemia in the tawny owl (*Strix aluco*): effects of colour morph and habitat 91

Thompson, J. T. and Voight, J. R., Erectile tissue in an invertebrate animal: the *Octopus* copulatory organ 101

Part 2, October 2003

Koler-Matznick, J., Brisbin, I. L., Jr., Feinstein, M. and Bulmer, S., An updated description of the New Guinea singing dog (*Canis hallstromi* Troughton, 1957) 109

Broomhall, L. S., Mills, M. G. L. and du Toit, J. T., Home range and habitat use by cheetahs (*Acinonyx jubatus*) in the Kruger National Park 119

Measey, G. J., Gower, D. J., Oommen, O. V. and Wilkinson, M., A mark–recapture study of the caecilian amphibian *Gegeneophis ramaswamii* (Amphibia: Gymnophiona: Caeciliidae) in southern India 129

Peretti, A. V., Functional morphology of spermatophores and female genitalia in bothriurid scorpions: genital courtship, coercion and other possible mechanisms 135

Bowen, W. D., Ellis, S. L., Iverson, S. J. and Boness, D. J., Maternal and newborn life-history traits during periods of contrasting population trends: implications for explaining the decline of harbour seals (*Phoca vitulina*), on Sable Island 155

Helgen, K. M., A review of the rodent fauna of Seram, Moluccas, with the description of a new subspecies of mosaic-tailed rat, *Melomys rufescens paveli* 165

Liang, A.-P., A new tibial gland in male spittlebugs with descriptions of two new species of *Augustohahnia* Schmidt (Hemiptera: Cercopidae) from New Guinea 173

Krasnov, B. R., Burdelov, S. A., Khokhlova, I. S. and Burdelova, N. V., Sexual size dimorphism, morphological traits and jump performance in seven species of desert fleas (Siphonaptera) 181

Schoenfuss, H. L. and Blob, R. W., Kinematics of waterfall climbing in Hawaiian freshwater fishes (Gobiidae): vertical propulsion at the aquatic–terrestrial interface 191

Beckmann, J. P. and Berger, J., Rapid ecological and behavioural changes in carnivores: the responses of black bears (*Ursus americanus*) to altered food 207

Gérard, C. and Le Lannic, J., Establishment of a new host–parasite association between the introduced invasive species *Potamopyrgus antipodarum* (Smith) (Gastropoda) and *Sanguinicola* sp. Plehn (Trematoda) in Europe 213

Part 3, November 2003

Reynolds, S. J., Schoech, S. J. and Bowman, R., Diet quality during pre-laying and nestling periods influences growth and survival of Florida scrub-jay (*Aphelocoma coerulescens*) chicks 217

Lei, R., Jiang, Z., Hu, Z. and Yang, W., Phylogenetic relationships of Chinese antelopes (subfamily Antilopinae) based on mitochondrial ribosomal RNA gene sequences 227

Menin, M. and Giaretta, A. A., Predation on foam nests of leptodactyline frogs (Anura: Leptodactylidae) by larvae of *Beckeriella niger* (Diptera: Ephydridae) 239

Ma, J., Jones, G., Zhang, S., Shen, J., Metzner, W., Zhang, L. and Liang, B., Dietary analysis confirms that Rickett's big-footed bat (*Myotis ricketti*) is a piscivore 245

Marcelli, M., Fusillo, R. and Boitani, L., Sexual segregation in the activity patterns of European polecats (*Mustela putorius*) 249

Parsons, K. N., Jones, G. and Greenaway, F., Swarming activity of temperate zone microchiropteran bats: effects of season, time of night and weather conditions 257

Guichón, M. L., Doncaster, C. P. and Cassini, M. H., Population structure of coypus (*Myocastor coypus*) in their region of origin and comparison with introduced populations 265

Schmidt, K., Nakanishi, N., Okamura, M., Doi, T. and Izawa, M., Movements and use of home range in the Iriomote cat (*Prionailurus bengalensis iriomotensis*) 273
Jathanna, D., Karanth, K. U. and Johnsingh, A. J. T., Estimation of large herbivore densities in the tropical forests of southern India using distance sampling 285
Taylor, W. A. and Skinner, J. D., Activity patterns, home ranges and burrow use of aardvarks (*Orycteropus afer*) in the Karoo 291
Cimino, L. and Lovari, S., The effects of food or cover removal on spacing patterns and habitat use in roe deer (*Capreolus capreolus*) 299
Yu, G., Jiang, Z., Zhoa, Z., Wang, B. and Wang, Y., Feeding habitat of giant pandas (*Ailuropoda melanoleuca*): why do they prefer bamboo patch edges? 307
Richter, T. A., Malpaux, B., Fleming, P. A., Molteno, A. J. and Bennett, N. C., Melatonin secretion in a strictly subterranean mammal, the Damaraland mole-rat (*Cryptomys damarensis*) 313
Fielding, N. J., MacNeil, C., Dick, J. T. A., Elwood, R. W., Riddell, G. E. and Dunn, A. M., Effects of the acanthocephalan parasite *Echinorhynchus truttae* on the feeding ecology of *Gammarus pulex* (Crustacea: Amphipoda) 321

Part 4, December 2003

Murphy, S., Legge, S. and Heinsohn, R., The breeding biology of palm cockatoos (*Probosciger aterrimus*): a case of a slow life history 327
Mysterud, A., Holand, Ø., Røed, K. H., Gjøstein, H., Kumpula, J. and Nieminen, M., Effects of age, density and sex ratio on reproductive effort in male reindeer (*Rangifer tarandus*) 341
Rhind, S. G., Communal nesting in the usually solitary marsupial, *Phascogale tapoatafa* 345
Thiel, M., Zander, A., Valdivia, N., Baeza, J. A. and Rueffler, C., Host fidelity of a symbiotic porcellanid crab: the importance of host characteristics 353
Morton, B., The functional morphology of *Bentholyonsia teramachii* (Bivalvia: Lyonsiellidae): clues to the origin of predation in the deep water Anomalodesmata 363
Córdoba-Aguilar, A., Uhía, E. and Cordero Rivera A., Sperm competition in Odonata (Insecta): the evolution of female sperm storage and rivals' sperm displacement 381
Krause, M. A., Burghardt, G. M. and Gillingham, J. C., Body size plasticity and local variation of relative head and body size sexual dimorphism in garter snakes (*Thamnophis sirtalis*) 399
Ji, X., Chen, F., Du, W.-G. and Chen, H.-L., Incubation temperature affects hatchling growth but not sexual phenotype in the Chinese soft-shelled turtle, *Pelodiscus sinensis* (Trionychidae) 409
Bergmann, P. J., Lessard, S. and Russell, A. P., Tail growth in *Chamaeleo dilepis* (Sauria: Chamaeleonidae): functional implications of segmental patterns 417
Michel, P., Ollason, J. C., Grosbois, V. and Thompson, P. M., The influence of body size, breeding experience and environmental variability on egg size in the northern fulmar (*Fulmarus glacialis*) 427